

2012
U.S. Coin
Digest

Dimes

Copyright 2011 Krause Publications,
a division of F+W Media, Inc., Cincinnati, Ohio

F+W Media strives to offer the highest quality content in a wide variety of formats — from print to digital to video — to highly passionate enthusiast communities.

Content based on the 2012 U.S. Coin Digest, 10th Edition

For a complete selection of products, visit
www.shopnumismaster.com

Jefferson - Westward Expansion - Lewis & Clark Bicentennial.

Thomas Jefferson large profile right. American Bison right.

KM# 368 Obv. Designer: Joe Fitzgerald and Don Everhart II. **Rev. Designer:** Jamie Franki and Norman E. Nemeth. **Diameter:** 21.2 **Weight:** 5.0000 g. **Composition:** Copper-Nickel



Date	Mintage	MS-65	Prf-65
2005P	448,320,000	1.50	—
2005D	487,680,000	1.50	—
2005S	—	—	6.50

Jefferson - Westward Expansion - Lewis & Clark Bicentennial.

Jefferson, large profile. Pacific coastline.

KM# 369 Obv. Designer: Joe Fitzgerald and Don Everhart. **Rev. Designer:** Joe Fitzgerald and Donna Weaver. **Diameter:** 21.2 **Weight:** 5.0000 g. **Composition:** Copper-Nickel



Date	Mintage	MS-65	Prf-65
2005P	394,080,000	1.25	—
2005D	411,120,000	1.25	—
2005S	—	—	5.50

Jefferson large facing portrait - Enhanced Monticello Reverse.

Jefferson head facing. Monticello, enhanced design.

KM# 381 Obv. Designer: Jamie N. Franki and Donna Weaver. **Rev. Designer:** Felix Schlag and John Mercanti. **Diameter:** 21.2 **Weight:** 5.0000 g. **Composition:** Copper-Nickel



Date	Mintage	MS-65	Prf-65
2006P	693,120,000	2.50	—
2006P Satin finish	—	4.00	—
2006D	809,280,000	2.50	—
2006D Satin finish	—	4.00	—
2006S	—	—	5.00
2007P	—	2.50	—
2007P Satin finish	—	4.00	—
2007D	—	2.50	—
2007D Satin finish	—	4.00	—
2007S	—	—	4.00
2008P	—	2.50	—
2008P Satin finish	—	4.00	—
2008D	—	2.50	—
2008D Satin finish	—	4.00	—
2008S	—	—	4.00
2009P	—	2.50	—
2009P Satin finish	—	4.00	—
2009D	—	2.50	—
2009D Satin finish	—	4.00	—
2009S	—	—	3.00
2010P	—	2.50	—
2010P Satin finish	—	4.00	—
2010D	—	2.50	—
2010D Satin finish	—	4.00	—
2010S	—	—	3.00
2011P	—	2.50	—
2011D	—	2.50	—
2011S	—	—	3.00

DIME

Draped Bust Dime.

Draped bust right. Small eagle.

KM# 24 Designer: Robert Scot. **Diameter:** 19 **Weight:** 2.7000 g. **Composition:** 0.8920 Silver, 0.0774 oz. ASW.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	MS-60
1796	22,135	2,850	3,465	5,350	7,350	12,350	24,500
1797 13 stars	25,261	3,000	3,615	5,600	7,750	13,150	25,100
1797 16 stars	Inc. above	2,850	3,490	5,425	7,500	12,650	25,100

Draped Bust Dime.

Draped bust right. Heraldic eagle.

KM# 31 Designer: Robert Scot. **Diameter:** 19 **Weight:** 2.7000 g. **Composition:** 0.8920 Silver, 0.0774 oz. ASW. **Notes:** The 1805 strikes have either 4 or 5 berries on the olive branch held by the eagle.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	MS-60
1798 large 8	27,550	725	1,250	1,550	1,850	3,375	8,850
1798 small 8	Inc. above	975	1,450	1,750	2,150	4,350	53,500
1798/97 13 stars	Inc. above	2,150	3,850	5,650	8,850	14,750	59,000
1798/97 16 stars	Inc. above	775	1,125	1,800	2,650	4,350	10,500

Note: The 1798 overdates have either 13 or 16 stars under the clouds on the reverse; Varieties of the regular 1798 strikes are distinguished by the size of the 8 in the date

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	MS-60
1800	21,760	700	1,075	1,400	2,550	4,100	34,500
1801	34,640	750	1,150	1,650	2,750	7,250	47,500
1802	10,975	1,750	2,650	3,500	4,750	11,000	36,500
1803	33,040	675	1,150	1,900	2,750	5,900	49,500
1804 13 stars	8,265	2,650	4,450	10,500	19,000	41,500	—
1804 14 stars	Inc. above	4,850	6,500	12,500	24,500	46,500	—
1805 5 berries	Inc. above	625	1,000	1,400	1,950	3,450	9,100
1805 4 berries	120,780	575	900	1,200	1,500	2,700	6,850
1807	165,000	575	900	1,200	1,500	2,700	6,850

Liberty Cap Dime.

Draped bust left, flanked by stars, date below. Eagle with arrows in talons, banner above, value below.

KM# 42 Designer: John Reich. **Diameter:** 18.8 **Weight:** 2.7000 g. **Composition:** 0.8920 Silver, 0.0774 oz. ASW. **Notes:** The 1820 varieties are distinguished by the size of the 0 in the date. The 1823 overdates have either large E's or small E's in UNITED STATES OF AMERICA on the reverse.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1809	51,065	140	220	450	700	1,500	2,850	4,500	24,500
1811/9	65,180	110	175	275	650	1,350	2,000	4,000	33,500
1814 small date	421,500	60.00	80.00	145	300	650	1,250	2,000	19,500
1814 large date	Inc. above	43.00	52.00	75.00	135	435	670	1,175	15,000
1814 STATESOF	Inc. above	70.00	88.00	160	335	750	1,400	2,350	24,500
1820 large O	942,587	42.00	50.00	71.00	122	430	665	1,160	12,750
1820 small O	Inc. above	43.00	52.00	75.00	137	450	750	1,425	15,250
1820 STATESOF	Inc. above	43.00	52.00	75.00	135	435	670	1,175	14,500
1821 large date	1,186,512	42.00	50.00	71.00	122	430	665	1,160	12,750
1821 small date	Inc. above	43.00	52.00	75.00	137	450	750	1,425	17,000
1822	100,000	1,000	1,850	3,250	4,500	6,250	7,850	13,500	70,000
1823/22 large E's	440,000	42.00	50.00	71.00	130	450	685	1,210	14,850
1823/22 small E's	Inc. above	42.00	50.00	71.00	130	450	685	1,210	13,600
1824/22	—	50.00	80.00	145	300	650	1,250	2,000	19,500
1825	510,000	39.00	46.00	65.00	112	410	625	1,100	12,850
1827	1,215,000	39.00	46.00	65.00	112	410	625	1,100	12,500
1827/7	Inc. above	250	—	—	750	1,100	1,500	—	—
1828 large date	125,000	70.00	110	175	375	750	1,250	2,850	6,850

Liberty Cap Dime.

Draped bust left, flanked by stars, date below. Eagle with arrows in talons, banner above, value below.

KM# 48 Designer: John Reich. **Diameter:** 18.5 **Composition:** Silver **Notes:** The three varieties of 1829 strikes and two varieties of 1830 strikes are distinguished by the size of "10C." on the reverse. On the 1833 "high 3" variety, the last 3 in the date is higher than the first 3. The two varieties of the 1834 strikes are distinguished by the size of the 4 in the date.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1828 small date	Inc. above	40.00	48.00	80.00	155	425	625	1,250	12,500
1829 very large 10C.	770,000	60.00	75.00	120	235	550	800	1,500	—
1829 large 10C.	Inc. above	54.00	65.00	110	200	400	600	1,150	9,250
1829 medium 10C.	Inc. above	36.00	42.00	54.00	85.00	255	375	775	6,850
1829 small 10C.	Inc. above	36.00	42.00	56.00	90.00	270	395	795	7,050
1829 curl base 2	Inc. above	7,750	10,500	16,500	27,500	38,500	44,000	—	—
1830 large 10C.	510,000	36.00	42.00	56.00	85.00	255	375	775	6,850
1830 small 10C.	Inc. above	36.00	42.00	54.00	90.00	270	400	825	8,850
1830/29	Inc. above	52.00	75.00	120	220	430	750	1,500	—
1831	771,350	36.00	42.00	54.00	85.00	255	375	775	6,850
1832	522,500	36.00	42.00	54.00	85.00	255	375	775	6,850
1833	485,000	36.00	42.00	54.00	85.00	260	390	790	6,850
1833 last 3 high	Inc. above	36.00	42.00	54.00	85.00	260	390	820	9,350

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1834 small 4	635,000	36.00	42.00	54.00	85.00	255	375	775	7,000
1834 large 4	Inc. above	36.00	42.00	54.00	85.00	255	375	775	6,850
1835	1,410,000	36.00	42.00	54.00	85.00	255	375	775	6,850
1836	1,190,000	36.00	42.00	54.00	85.00	255	375	775	6,850
1837	1,042,000	36.00	42.00	56.00	90.00	270	395	795	7,000

Seated Liberty Dime.

Seated Liberty, date below.

Value within wreath.

KM# 61 Designer: Christian Gobrecht.
Diameter: 17.9 **Weight:** 2.6700 g. **Composition:**
 0.9000 Silver, 0.0773 oz. ASW.

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1837 flat top	Inc. above	40.00	50.00	85.00	290	550	750	1,100	6,500
1837 curly top	Inc. above	40.00	50.00	85.00	290	550	750	1,100	6,500
1838O	406,034	40.00	60.00	110	375	725	1,250	3,500	21,000



Seated Liberty Dime.

Seated Liberty, stars around top

1/2 of border, date below.

Value within wreath.

KM# 63.1 Obv. Designer: Christian Gobrecht.
Diameter: 17.9 **Weight:** 2.6700 g. **Composition:**
 0.9000 Silver, 0.0773 oz. ASW. **Notes:** The 1839-O
 with reverse of 1838-O variety was struck from rusted
 dies, it has a bumpy reverse surface.

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1838 small stars	1,992,500	25.00	30.00	50.00	80.00	165	350	600	—
1838 large stars	Inc. above	17.50	20.00	30.00	37.50	110	215	280	8,500
1838 partial drapery	Inc. above	35.00	50.00	85.00	150	225	350	550	—
1839	1,053,115	16.00	18.50	25.00	35.00	105	195	280	3,000
1839O	1,323,000	18.50	22.50	35.00	60.00	150	365	1,250	6,000
1839O reverse 1838O	Inc. above	165	225	375	550	1,150	—	—	—
1840	1,358,580	16.00	18.50	25.00	35.00	105	195	300	4,000
1840O	1,175,000	18.50	22.50	40.00	70.00	165	365	975	6,500



No drapery at elbow

Seated Liberty Dime.

Seated Liberty, stars around top

1/2 of border, date below. Value

within wreath.

KM# 63.2 Designer: Christian Gobrecht.
Diameter: 17.9 **Weight:** 2.6700 g. **Composition:**
 0.9000 Silver, 0.0773 oz. ASW. **Notes:** Drapery
 added to Liberty's left elbow

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1840	Inc. above	35.00	50.00	95.00	185	350	1,250	—	—
1841	1,622,500	16.00	18.50	21.50	27.50	50.00	175	260	2,700
1841O	2,007,500	18.50	22.50	28.50	45.00	75.00	250	1,500	5,000
1841O large O	Inc. above	600	900	1,200	2,500	—	—	—	—
1842	1,887,500	15.00	17.50	21.50	26.00	45.00	175	260	2,700
1842O	2,020,000	18.50	23.50	30.00	75.00	225	1,350	2,900	—
1843	1,370,000	15.00	17.50	21.50	26.00	45.00	175	260	3,000
1843/1843	Inc. above	16.00	18.50	22.50	30.00	75.00	200	295	—
1843O	150,000	50.00	80.00	135	325	1,100	2,250	—	—
1844	72,500	275	350	550	800	1,450	2,200	3,000	—
1845	1,755,000	16.00	18.50	21.50	27.50	45.00	120	260	2,600
1845/1845	Inc. above	17.00	20.00	35.00	55.00	100.00	175	—	—
1845O	230,000	25.00	35.00	95.00	250	750	1,750	—	—
1846	31,300	250	350	500	950	1,750	2,750	5,500	—
1847	245,000	19.00	25.00	40.00	85.00	150	350	950	9,000
1848	451,500	18.50	21.50	25.00	50.00	95.00	250	750	7,000
1849	839,000	17.50	19.50	23.50	33.50	60.00	140	500	4,000



Drapery at elbow

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1849O	300,000	21.50	30.00	50.00	135	275	750	2,200	—
1850	1,931,500	17.50	19.50	23.50	32.50	55.00	120	260	5,900
1850O	510,000	21.50	25.00	40.00	90.00	175	475	1,250	—
1851	1,026,500	17.50	20.00	22.50	30.00	60.00	120	325	5,000
1851O	400,000	21.50	25.00	40.00	90.00	175	500	1,850	—
1852	1,535,500	15.00	16.00	18.50	23.50	50.00	120	290	2,550
1852O	430,000	22.50	30.00	45.00	125	235	550	1,800	—
1853	95,000	95.00	125	200	295	425	575	800	—

Seated Liberty Dime.

Seated Liberty, stars around top 1/2 of border, arrows at date. Value within wreath.



KM# 77 Designer: Christian Gobrecht.
Weight: 2.4900 g. **Composition:** 0.9000 Silver, 0.0720 oz. ASW.

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Pri-65
1853	12,078,010	8.00	9.00	10.00	14.00	45.00	125	330	2,500	31,500
1853O	1,100,000	11.00	14.00	20.00	45.00	145	400	900	—	—
1854	4,470,000	8.75	9.25	10.00	15.00	45.00	125	330	2,500	31,500
1854O	1,770,000	10.00	11.00	14.00	25.00	75.00	175	600	—	—
1855	2,075,000	8.75	9.25	14.00	20.00	55.00	150	350	3,800	31,500

Seated Liberty Dime.

Seated Liberty, stars around top 1/2 of border, date below. Value within wreath.



KM# A63.2 Designer: Christian Gobrecht.
Weight: 2.4900 g. **Composition:** 0.9000 Silver, 0.0720 oz. ASW.

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Pri-65
1856 small date	5,780,010	14.00	15.00	18.00	22.00	37.50	115	250	7,050	38,000
1856 large date	Inc. above	16.00	18.50	19.50	25.00	65.00	175	475	—	—
1856O	1,180,000	16.00	18.50	19.50	35.00	85.00	215	625	5,250	—
1856S	70,000	160	225	375	550	1,200	1,750	—	—	—
1857	5,580,000	14.00	15.50	16.50	22.50	37.50	110	260	2,600	3,400
1857O	1,540,000	14.00	16.00	18.50	27.50	70.00	200	375	2,600	—
1858	1,540,000	14.00	15.50	16.50	22.50	55.00	145	260	2,600	3,400
1858O	290,000	19.00	25.00	40.00	85.00	165	280	800	5,000	—
1858S	60,000	150	200	325	475	1,000	1,500	—	—	—
1859	430,000	16.00	20.00	25.00	45.00	70.00	140	350	—	3,400
1859O	480,000	16.00	20.00	25.00	45.00	80.00	225	550	—	—
1859S	60,000	160	225	375	550	1,350	3,000	—	—	—
1860S	140,000	40.00	55.00	75.00	145	325	800	—	—	—

Seated Liberty Dime.

UNITED STATES OF AMERICA replaced stars. Value within wreath.



KM# 92 Obv. Designer: Christian Gobrecht.
Weight: 2.4900 g. **Composition:** 0.9000 Silver, 0.0720 oz. ASW. **Notes:** The 1873 "closed-3" and "open-3" varieties are distinguished by the amount of space between the upper left and lower left serifs of the 3 in the date.

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Pri-65
1860	607,000	15.00	22.00	29.00	31.00	55.00	125	275	1,350	1,400
1860O	40,000	450	600	1,000	1,950	3,500	5,500	8,500	—	—
1861	1,884,000	15.00	17.00	20.00	23.00	34.00	85.00	150	1,250	1,400
1861S	172,500	55.00	90.00	165	275	400	900	1,400	—	—
1862	847,550	16.00	17.50	19.50	25.00	45.00	77.50	165	1,250	1,400
1862S	180,750	45.00	65.00	95.00	185	375	775	1,000	—	—
1863	14,460	425	500	650	900	950	1,100	1,300	—	1,400
1863S	157,500	40.00	55.00	80.00	145	275	650	1,200	—	—
1864	11,470	425	500	650	750	900	1,000	1,200	—	1,400
1864S	230,000	35.00	45.00	75.00	110	225	425	1,200	—	—
1865	10,500	475	575	700	875	1,000	1,200	1,350	—	1,400
1865S	175,000	45.00	55.00	85.00	145	325	850	—	—	—
1866	8,725	500	600	775	950	1,100	1,200	1,800	—	1,750
1866S	135,000	50.00	65.00	100.00	150	325	700	1,900	—	—

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Prf-65
1867	6,625	600	700	950	1,100	1,450	1,600	1,800	—	1,750
1867S	140,000	50.00	60.00	90.00	150	325	700	1,200	—	—
1868	464,000	18.00	22.00	29.00	39.00	85.00	175	300	—	1,400
1868S	260,000	30.00	35.00	50.00	85.00	165	300	600	—	—
1869	256,600	25.00	35.00	45.00	80.00	135	250	600	—	1,400
1869S	450,000	25.00	30.00	40.00	55.00	85.00	175	400	—	—
1870	471,000	18.00	22.00	30.00	40.00	50.00	80.00	150	—	1,400
1870S	50,000	300	375	500	650	850	1,200	2,000	—	—
1871	907,710	16.00	20.00	25.00	33.00	55.00	175	300	—	1,400
1871CC	20,100	2,500	3,500	4,500	6,500	10,000	—	—	—	—
1871S	320,000	35.00	55.00	75.00	130	195	350	900	—	—
1872	2,396,450	12.00	15.00	17.00	20.00	31.00	95.00	175	—	1,400
1872CC	35,480	950	1,250	1,850	3,000	6,500	—	—	—	—
1872S	190,000	40.00	65.00	85.00	150	250	450	1,100	—	—
1873 closed 3	1,568,600	12.50	15.00	18.00	22.00	50.00	100.00	200	—	1,400
1873 open 3	Inc. above	28.00	35.00	50.00	75.00	125	250	650	—	—
1873CC	12,400	—	—	—	—	—	—	—	—	—

Note: 1873-CC, Heritage Sale, April 1999, MS-64, \$632,500.

Seated Liberty Dime.

Seated Liberty, arrows at date. Value within wreath.

KM# 105 Designer: Christian Gobrecht. **Weight:** 2.5000 g. **Composition:** 0.9000 Silver, 0.0723 oz. ASW.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Prf-65
1873	2,378,500	15.00	18.50	25.00	55.00	150	350	500	4,500	4,500
1873CC	18,791	2,350	3,250	4,250	6,500	10,000	—	—	—	—
1873S	455,000	20.00	30.00	40.00	70.00	190	400	1,500	—	—
1874	2,940,700	13.50	17.50	22.50	50.00	150	315	500	4,500	4,500
1874CC	10,817	5,000	6,500	8,000	12,500	25,000	—	—	—	—
1874S	240,000	60.00	75.00	100.00	160	250	450	1,500	—	—

Seated Liberty Dime.

Seated Liberty, date below. Value within wreath.

KM# A92 Designer: Christian Gobrecht. **Weight:** 2.5000 g. **Composition:** 0.9000 Silver, 0.0723 oz. ASW. **Notes:** On the 1876-CC doubled-obverse variety, doubling appears in the words OF AMERICA in the legend.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Prf-65
1875	10,350,700	14.00	16.00	17.50	20.00	30.00	75.00	125	2,250	4,600
1875CC mint mark in wreath	4,645,000	15.00	19.00	22.50	35.00	47.50	90.00	190	2,700	—
1875CC mint mark under wreath	Inc. above	15.00	19.00	27.50	45.00	75.00	165	235	3,000	—
1875S mint mark in wreath	9,070,000	20.00	25.00	30.00	43.00	65.00	125	225	3,100	—
1875S mint mark under wreath	Inc. above	12.50	15.50	17.50	20.00	27.50	72.50	125	1,100	—
1876 Type 1 rev	11,461,150	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1876 Type 2 rev	Inc. above	20.00	25.00	30.00	40.00	60.00	120	200	—	—
1876CC Type 1 rev	8,270,000	20.00	25.00	30.00	40.00	65.00	125	225	—	—
1876CC Type 2 rev	Inc. above	25.00	35.00	48.00	65.00	90.00	175	300	—	—
1876CC doubled die obverse	Inc. above	20.00	26.00	44.00	100.00	185	340	600	—	—
1876S Type 1 rev	10,420,000	14.00	16.00	17.50	20.00	30.00	75.00	125	1,750	—
1876S Type 2 rev	Inc. above	18.00	20.00	24.00	30.00	40.00	90.00	150	—	—
1877 Type 1 rev	7,310,510	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1877 Type 2 rev	Inc. above	18.00	20.00	24.00	30.00	40.00	90.00	150	—	—
1877CC Type 1 rev	7,700,000	25.00	35.00	48.00	65.00	90.00	175	300	1,100	—
1877CC Type 2 rev	Inc. above	20.00	25.00	30.00	40.00	65.00	125	225	—	—
1877S Type 1 rev	2,340,000	—	—	—	—	—	—	—	—	—
1877S Type 2 rev	Inc. above	14.00	18.00	20.00	30.00	50.00	105	225	—	—
1878 Type 1 rev	1,678,800	28.00	35.00	50.00	65.00	100.00	175	—	—	—
1878 Type 2 rev	Inc. above	14.00	16.00	20.00	30.00	36.00	72.50	125	1,500	1,200
1878CC Type 1 rev	200,000	100.00	135	175	285	450	700	—	—	—
1878CC Type 2 rev	Inc. above	65.00	90.00	125	225	370	500	900	3,500	—
1879	15,100	275	310	375	425	500	575	675	1,750	1,500
1880	37,335	250	275	315	350	400	450	550	1,750	1,500
1881	24,975	265	300	350	400	475	550	650	2,500	1,600
1882	3,911,100	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1883	7,675,712	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Pri-65
1884	3,366,380	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1884S	564,969	30.00	35.00	45.00	55.00	125	280	650	—	—
1885	2,533,427	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1885S	43,690	450	650	950	1,750	2,400	3,600	5,000	—	—
1886	6,377,570	12.50	15.00	17.00	20.00	27.50	72.50	125	1,100	1,200
1886S	206,524	50.00	70.00	80.00	125	175	280	600	—	—
1887	11,283,939	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1887S	4,454,450	12.50	15.00	17.00	20.00	38.00	80.00	125	1,100	—
1888	5,496,487	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1888S	1,720,000	12.50	15.00	17.00	25.00	40.00	95.00	200	—	—
1889	7,380,711	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1889S	972,678	14.00	18.00	25.00	45.00	70.00	150	475	4,500	—
1890	9,911,541	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1890S	1,423,076	14.00	15.00	22.50	50.00	85.00	155	400	4,900	—
1891	15,310,600	14.00	16.00	17.50	20.00	30.00	75.00	125	1,100	1,200
1891O	4,540,000	12.50	15.00	17.00	20.00	27.50	72.50	175	1,750	—
1891O/horizontal O	Inc. above	65.00	95.00	125	175	225	400	—	—	—
1891S	3,196,116	13.50	15.00	17.50	20.00	30.00	75.00	225	1,650	—
1891S/S	Inc. above	25.00	30.00	40.00	85.00	135	250	—	—	—

Barber Dime.

Laureate head right, date at angle below. Value within wreath.



KM# 113 Designer: Charles E. Barber. **Diameter:** 17.9 **Weight:** 2.5000 g. **Composition:** 0.9000 Silver, 0.0723 oz. ASW.

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Pri-65
1892	12,121,245	6.75	7.50	16.00	25.00	27.50	63.00	105	710	1,485
1892O	3,841,700	11.00	15.00	32.50	56.00	75.00	96.00	135	1,275	—
1892S	990,710	66.00	115	210	245	285	340	425	3,500	—
1893/2	3,340,792	135	155	175	225	300	325	450	4,850	—
1893	Inc. above	8.25	12.50	20.00	30.00	46.00	80.00	165	1,000	1,485
1893O	1,760,000	31.00	45.00	135	168	190	250	315	2,950	—
1893S	2,491,401	14.00	25.00	39.00	50.00	85.00	155	360	3,750	—
1894	1,330,972	25.00	45.00	122	165	190	235	310	1,150	1,485
1894O	720,000	70.00	105	215	280	425	650	1,550	15,500	—
1894S	24	—	—	—	—	—	—	—	1,900,000	—
Note: 1894S, Eliasberg Sale, May 1996, Prt-64, \$451,000.										
1895	690,880	85.00	180	355	480	565	650	750	2,650	1,485
1895O	440,000	385	575	900	1,285	2,500	3,650	6,000	19,500	—
1895S	1,120,000	43.50	60.00	135	190	240	320	500	7,500	—
1896	2,000,762	11.50	23.00	56.00	82.00	100.00	120	145	1,450	1,485
1896O	610,000	80.00	155	305	375	465	700	975	9,500	—
1896S	575,056	85.00	160	310	335	385	525	770	4,650	—
1897	10,869,264	3.00	3.25	8.00	15.00	31.50	73.00	125	705	1,485
1897O	666,000	69.50	115	290	385	480	600	975	4,450	—
1897S	1,342,844	21.00	45.00	98.00	125	185	265	435	3,950	—
1898	16,320,735	3.00	3.25	7.50	15.00	28.00	68.00	125	710	1,485
1898O	2,130,000	13.50	27.50	88.00	145	200	285	450	3,850	—
1898S	1,702,507	8.50	15.00	33.00	48.00	78.00	160	370	3,750	—
1899	19,580,846	3.00	3.25	7.50	12.00	26.00	68.00	110	710	1,485
1899O	2,650,000	10.00	19.50	72.00	110	150	230	415	4,450	—
1899S	1,867,493	9.00	16.00	34.00	37.00	46.00	105	300	4,350	—
1900	17,600,912	4.00	5.00	7.00	11.00	26.00	63.00	105	740	1,485
1900O	2,010,000	19.50	38.50	115	165	225	355	595	5,750	—
1900S	5,168,270	5.00	6.25	12.50	19.50	31.50	75.00	155	1,850	—
1901	18,860,478	4.00	5.00	6.50	10.00	27.50	63.00	105	755	1,485
1901O	5,620,000	4.00	5.50	16.00	27.50	67.50	175	450	4,350	—
1901S	593,022	80.00	150	360	475	520	675	985	5,350	—
1902	21,380,777	4.00	5.00	5.75	8.00	23.00	63.00	105	750	1,485
1902O	4,500,000	4.00	5.50	15.00	32.50	62.50	145	350	4,500	—
1902S	2,070,000	8.00	21.00	58.00	90.00	135	195	375	3,950	—
1903	19,500,755	4.00	5.00	5.75	8.00	25.00	63.00	105	1,100	1,485
1903O	8,180,000	4.00	5.50	13.50	23.50	50.00	110	250	4,850	—
1903S	613,300	84.00	130	350	490	750	840	1,100	3,150	—
1904	14,601,027	4.00	5.00	6.50	9.75	25.00	63.00	110	1,850	1,485
1904S	800,000	45.00	75.00	165	245	335	465	725	4,500	—
1905	14,552,350	3.75	4.75	6.25	9.75	25.00	63.00	105	735	1,485
1905O	3,400,000	4.25	10.50	36.50	57.50	92.00	155	285	1,650	—
1905O micro O	Inc. above	35.00	50.00	75.00	140	235	375	1,750	12,500	—
1905S	6,855,199	3.50	4.50	9.00	18.50	43.50	96.00	210	775	—
1906	19,958,406	2.75	4.00	4.00	7.25	22.00	58.00	100.00	735	1,485
1906D	4,060,000	3.25	4.35	7.00	15.00	35.00	78.00	175	1,650	—
1906O	2,610,000	5.50	13.00	50.00	78.00	100.00	135	195	1,150	—
1906S	3,136,640	3.75	5.75	12.50	22.50	44.00	110	240	1,350	—
1907	22,220,575	2.75	3.00	3.75	7.25	22.00	58.00	100.00	700	1,485

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Pri-65
1907D	4,080,000	3.25	4.50	8.75	17.50	43.50	115	275	3,950	—
1907O	5,058,000	3.75	6.75	33.50	50.00	62.50	110	210	1,350	—
1907S	3,178,470	3.75	5.50	16.00	27.50	67.50	150	410	2,450	—
1908	10,600,545	2.75	3.00	3.75	7.25	22.00	58.00	100.00	700	1,485
1908D	7,490,000	2.75	3.00	5.25	9.75	29.00	63.00	125	990	—
1908O	1,789,000	5.25	11.00	44.50	64.00	92.00	150	290	1,350	—
1908S	3,220,000	4.00	5.75	11.50	22.00	46.00	175	310	2,350	—
1909	10,240,650	2.75	3.00	3.75	7.25	22.00	58.00	100.00	700	1,485
1909D	954,000	7.25	18.50	60.00	100.00	135	225	485	3,150	—
1909O	2,287,000	4.00	7.25	12.50	22.00	50.00	92.50	185	1,650	—
1909S	1,000,000	8.75	19.50	88.00	130	182	315	525	3,150	—
1910	11,520,551	2.75	3.00	3.50	9.75	22.00	58.00	100.00	700	1,485
1910D	3,490,000	3.00	4.00	8.50	19.00	47.50	100.00	210	1,650	—
1910S	1,240,000	5.25	9.00	50.00	74.00	110	195	425	2,450	—
1911	18,870,543	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	1,485
1911D	11,209,000	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	—
1911S	3,520,000	3.00	4.25	8.50	18.50	39.50	105	195	1,050	—
1912	19,350,700	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	1,485
1912D	11,760,000	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	—
1912S	3,420,000	3.00	4.00	5.60	12.50	34.00	92.50	155	775	—
1913	19,760,622	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	1,485
1913S	510,000	35.00	50.00	120	190	240	325	480	1,375	—
1914	17,360,655	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	1,485
1914D	11,908,000	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	—
1914S	2,100,000	3.00	4.00	8.00	17.50	39.50	78.00	150	1,250	—
1915	5,620,450	2.75	3.00	3.50	7.00	22.00	58.00	100.00	700	1,485
1915S	960,000	7.50	11.50	34.50	49.50	66.50	135	250	1,550	—
1916	18,490,000	2.75	3.00	3.50	8.00	22.00	58.00	100.00	700	—
1916S	5,820,000	3.00	4.00	4.50	8.50	25.50	63.00	105	795	—

Mercury Dime.

KM# 140 Designer: Adolph A. Weinman. **Diameter:** 17.8 **Weight:** 2.5000 g. **Composition:** 0.9000 Silver, 0.0723 oz. ASW. **Notes:** All specimens listed as -65FSB are for fully struck MS-65 coins with fully split and rounded horizontal bands on the fasces.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-63	MS-65	-65FSB
1916	22,180,080	3.50	4.75	6.00	7.00	12.00	22.50	30.00	43.00	110	165
1916D	264,000	1,000	1,650	2,700	3,850	6,200	8,500	13,750	18,400	26,500	48,500
1916S	10,450,000	4.00	5.00	9.25	15.00	25.00	28.00	46.00	60.00	210	800
1917	55,230,000	3.00	3.40	3.70	5.50	8.00	12.50	28.00	55.00	155	375
1917D	9,402,000	4.30	6.00	12.50	26.00	52.50	90.00	120	300	1,100	5,650
1917S	27,330,000	3.10	3.60	3.50	7.50	15.00	28.00	64.00	170	470	1,265
1918	26,680,000	3.60	4.90	5.75	12.00	34.00	42.00	70.00	95.00	420	1,325
1918D	22,674,800	3.50	3.25	6.50	13.00	32.00	46.00	105	210	600	27,500
1918S	19,300,000	3.10	3.00	3.85	11.00	24.00	38.50	96.00	230	660	7,450
1919	35,740,000	3.50	3.60	3.80	5.50	12.00	23.00	37.00	105	315	685
1919D	9,939,000	3.50	6.00	13.50	31.00	46.00	70.00	180	420	2,100	38,500
1919S	8,850,000	2.90	3.25	10.50	20.00	42.00	70.00	180	450	1,250	14,350
1920	59,030,000	2.80	3.40	3.60	4.00	8.50	14.00	28.00	67.00	235	540
1920D	19,171,000	2.50	2.85	4.75	9.00	24.00	43.00	110	310	750	4,750
1920S	13,820,000	2.40	2.75	7.00	9.00	21.00	39.00	110	300	1,300	8,250
1921	1,230,000	60.00	72.00	115	260	525	835	1,175	1,465	3,100	4,350
1921D	1,080,000	78.00	120	200	380	660	1,000	1,325	1,650	3,250	5,200
1923	50,130,000	2.80	3.00	3.30	3.50	7.00	15.00	28.00	42.00	115	340
1923S	6,440,000	2.60	3.00	8.25	19.00	75.00	100.00	160	375	1,150	7,450
1924	24,010,000	2.80	3.10	3.90	4.50	13.50	26.50	42.00	88.00	175	500
1924D	6,810,000	3.00	4.25	9.00	23.50	63.00	100.00	175	460	1,050	1,365

Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-63	MS-65	-65FSB
1924S	7,120,000	2.90	3.60	4.25	12.00	59.00	95.00	170	450	1,100	16,750
1925	25,610,000	2.80	3.10	3.60	4.00	11.00	16.00	28.00	75.00	210	990
1925D	5,117,000	3.90	4.40	12.75	46.50	135	185	350	725	1,750	3,500
1925S	5,850,000	2.50	2.85	7.75	18.50	85.00	100.00	185	475	1,400	4,650
1926	32,160,000	2.80	3.00	3.30	2.70	5.75	12.00	25.00	55.00	240	525
1926D	6,828,000	2.90	4.00	5.00	12.00	32.00	43.00	125	260	550	2,500
1926S	1,520,000	11.75	13.50	29.00	67.50	275	400	900	1,425	3,000	6,750
1927	28,080,000	2.80	3.00	3.30	3.50	6.00	11.00	26.00	48.00	138	350
1927D	4,812,000	3.00	5.00	7.75	25.50	88.00	95.00	175	360	1,285	8,500
1927S	4,770,000	2.30	3.75	5.50	11.00	30.00	46.00	285	550	1,400	7,600
1928	19,480,000	2.80	3.00	3.30	3.70	4.75	16.00	27.50	48.00	120	345
1928D	4,161,000	3.70	4.00	11.50	25.50	62.50	85.00	175	315	875	2,750
1928S Large S	7,400,000	2.80	3.25	5.00	12.00	40.00	85.00	225	385	750	6,500
1928S Small S	Inc. above	2.00	2.25	3.25	6.50	19.00	36.00	125	280	425	2,000
1929	25,970,000	2.80	3.00	3.30	3.00	4.50	10.00	21.00	28.00	60.00	175
1929D	5,034,000	2.00	3.00	3.75	8.00	15.00	21.00	27.00	30.00	75.00	225
1929S	4,730,000	3.00	3.20	3.40	5.00	7.50	20.00	32.50	42.00	90.00	560
1929S Doubled Die											
Obv	Inc. above	5.00	9.00	16.00	25.00	40.00	60.00	90.00	140	275	1,150
1930	6,770,000	3.00	3.20	3.40	3.80	7.00	13.00	26.00	48.00	120	575
1930S	1,843,000	2.50	3.50	4.80	6.50	19.00	45.00	82.00	122	200	685
1931	3,150,000	2.30	3.00	3.35	4.70	12.50	22.50	33.00	62.50	135	800
1931D	1,260,000	8.50	10.00	15.00	19.50	48.00	53.00	100.00	125	285	375
1931 Doubled Die											
Obv & Rev	Inc. above	—	—	—	50.00	70.00	90.00	135	200	485	650
1931S	1,800,000	4.00	5.00	5.50	11.00	23.50	42.50	96.00	135	275	2,500
1931S Doubled Die											
Obv	Inc. above	7.50	10.00	13.00	25.00	35.00	60.00	140	200	425	3,850
1934	24,080,000	—	2.43	1.75	3.00	6.50	10.00	29.00	33.00	42.00	130
1934D	6,772,000	3.10	3.33	3.25	7.50	14.00	27.50	50.00	60.00	78.00	320
1935	58,830,000	—	2.43	2.48	2.20	4.25	7.50	10.00	15.00	30.00	68.00
1935D	10,477,000	3.00	1.90	2.85	6.50	13.00	25.00	37.00	46.00	84.00	500
1935S	15,840,000	2.80	1.65	2.00	3.00	5.50	14.00	24.00	28.00	37.00	360
1936	87,504,130	—	2.43	2.48	2.50	3.50	6.50	9.00	15.00	26.50	84.00
1936 Doubled Die											
Obv	Inc. above	—	—	8.00	15.00	25.00	35.00	50.00	100.00	165	—
1936D	16,132,000	2.80	1.65	2.10	4.30	8.50	17.00	28.00	36.00	53.00	290
1936S	9,210,000	—	1.50	1.90	3.00	6.00	12.50	20.00	30.00	33.00	88.00
1937	56,865,756	2.40	2.50	2.60	2.00	3.75	6.00	8.00	12.00	24.00	52.00
1937 Doubled Die											
Obv	Inc. above	—	—	—	6.00	9.00	12.00	20.00	40.00	60.00	175
1937D	14,146,000	2.60	2.63	2.68	3.00	6.00	12.50	22.00	30.00	43.00	105
1937S	9,740,000	—	1.50	2.00	3.00	5.50	10.00	22.00	27.00	36.00	190
1937S Doubled Die											
Obv	Inc. above	—	—	—	5.00	8.00	12.00	28.00	42.00	80.00	275
1938	22,198,728	2.50	—	2.70	2.30	3.75	7.50	13.00	15.00	25.00	80.00
1938D	5,537,000	1.80	2.25	3.25	5.00	6.00	12.00	18.00	24.00	34.00	62.00
1938S	8,090,000	1.50	2.00	2.75	3.30	5.00	12.00	21.00	27.50	37.00	160
1939	67,749,321	2.50	—	2.70	2.90	3.25	4.50	9.00	11.00	25.00	170
1939 Doubled Die											
Obv	Inc. above	—	—	—	4.00	6.00	8.00	14.00	20.00	35.00	450
1939D	24,394,000	—	2.63	2.68	2.70	3.50	5.50	7.50	10.00	26.00	49.00
1939S	10,540,000	1.50	1.75	2.25	3.50	6.75	14.00	25.00	32.00	50.00	765
1940	65,361,827	2.40	2.43	2.48	2.50	3.30	3.10	6.00	11.00	30.00	48.00
1940D	21,198,000	—	—	—	2.70	4.40	5.00	8.00	13.00	32.00	48.00
1940S	21,560,000	—	—	—	2.70	4.40	4.50	8.50	12.50	32.00	95.00
1941	175,106,557	2.40	2.43	2.48	2.50	3.00	3.50	6.00	9.50	30.00	46.00
1941 Doubled Die											
Obv	Inc. above	—	—	—	10.00	16.00	30.00	55.00	80.00	140	295
1941D	45,634,000	—	—	—	2.70	3.40	4.00	8.00	13.00	23.00	46.00
1941D Doubled Die											
Obv	Inc. above	—	—	—	9.00	14.00	20.00	30.00	60.00	90.00	250
1941S Small S	43,090,000	—	—	—	2.70	3.40	4.50	7.00	10.00	30.00	46.00
1941S Large S	Inc. above	2.50	4.00	8.00	15.00	25.00	60.00	110	145	250	425
1941S Doubled Die											
Rev	Inc. above	1.80	2.50	3.00	4.00	5.00	7.50	18.00	25.00	50.00	85.00
1942	205,432,329	2.40	2.43	2.48	2.50	3.00	3.50	6.00	9.50	24.00	46.00
1942/41	Inc. above	525	545	610	640	750	1,285	2,250	4,000	12,500	35,000
1942D	60,740,000	—	—	—	2.70	3.40	4.00	8.00	12.75	27.50	46.00
1942/41D	Inc. above	475	540	600	650	825	1,350	2,650	4,500	7,000	26,500
1942S	49,300,000	—	—	—	2.70	3.40	4.50	9.50	16.00	24.00	145
1943	191,710,000	2.40	2.43	2.48	2.50	3.00	3.50	6.00	9.50	31.00	50.00
1943D	71,949,000	—	—	—	2.70	3.40	3.00	7.75	12.00	30.00	47.00
1943S	60,400,000	—	—	—	2.70	3.40	4.50	9.00	13.00	26.50	66.00
1944	231,410,000	2.40	2.43	2.48	2.50	3.00	3.50	6.00	9.50	23.00	75.00
1944D	62,224,000	—	—	—	2.70	3.40	3.00	7.50	15.00	23.00	46.00
1944S	49,490,000	—	—	—	2.70	3.40	4.50	7.50	16.00	30.00	50.00
1945	159,130,000	2.40	2.43	2.48	2.50	3.00	3.50	6.00	9.50	23.00	9,750
1945D	40,245,000	—	—	—	2.70	3.40	3.60	6.50	10.00	24.00	4,650
1945S	41,920,000	—	—	—	2.70	3.40	4.00	7.00	10.00	24.00	105
1945S micro S	Inc. above	3.00	4.00	6.00	9.00	13.00	20.00	28.00	38.00	115	685

Roosevelt Dime.

KM# 195 Designer: John R. Sinnock. **Diameter:** 17.9 **Weight:** 2.5000 g. **Composition:** 0.9000 Silver, 0.0723 oz. ASW.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Prf-65
1946	225,250,000	—	—	—	—	2.50	2.80	3.00	14.00	—
1946D	61,043,500	—	—	—	—	2.50	3.00	3.20	15.00	—
1946S	27,900,000	—	—	—	—	2.50	3.00	3.20	17.00	—
1947	121,520,000	—	—	—	—	2.50	2.70	3.50	15.00	—
1947D	46,835,000	—	—	—	—	2.70	2.90	4.50	17.00	—
1947S	34,840,000	—	—	—	—	2.50	2.70	3.50	16.00	—
1948	74,950,000	—	—	—	—	2.60	2.80	3.30	15.00	—
1948D	52,841,000	—	—	—	—	2.90	3.10	5.00	17.00	—
1948S	35,520,000	—	—	—	—	2.80	3.00	4.50	14.00	—
1949	30,940,000	—	—	1.50	2.00	3.00	8.00	16.00	45.00	—
1949D	26,034,000	—	—	1.40	2.70	2.90	5.00	9.00	22.00	—
1949S	13,510,000	—	1.60	2.00	3.50	8.00	15.00	35.00	65.00	—
1950	50,181,500	—	—	—	207	2.25	3.50	7.00	25.00	55.00
1950D	46,803,000	—	—	—	—	—	2.50	3.50	12.00	—
1950S	20,440,000	—	1.20	2.80	209	3.75	9.00	23.00	60.00	—
1951	102,937,602	—	—	—	—	—	2.90	3.10	10.00	60.00
1951D	56,529,000	—	—	—	—	—	2.80	3.00	8.00	—
1951S	31,630,000	—	—	—	2.70	2.00	4.00	10.00	26.00	—
1952	99,122,073	—	—	—	—	—	2.70	2.90	9.00	35.00
1952D	122,100,000	—	—	—	—	—	2.70	2.90	10.00	—
1952S	44,419,500	—	—	—	2.70	2.90	2.80	5.50	15.00	—
1953	53,618,920	—	—	—	—	—	2.70	2.90	8.00	42.00
1953D	136,433,000	—	—	—	—	—	2.70	3.30	8.00	—
1953S	39,180,000	—	—	—	—	—	3.10	3.30	15.00	—
1954	114,243,503	—	—	—	—	—	2.70	2.90	7.00	18.00
1954D	106,397,000	—	—	—	—	—	2.70	2.90	7.00	—
1954S	22,860,000	—	—	—	—	—	2.70	3.00	10.00	—
1955	12,828,381	—	—	—	2.70	2.70	3.10	3.30	8.50	17.00
1955D	13,959,000	—	—	—	2.70	2.80	3.20	3.40	8.50	—
1955S	18,510,000	—	—	—	2.70	2.70	3.10	3.30	8.00	—
1956	109,309,384	—	—	—	—	—	2.70	2.90	9.00	8.00
1956D	108,015,100	—	—	—	—	—	2.70	3.00	10.00	—
1957	161,407,952	—	—	—	—	—	2.70	2.90	8.00	5.00
1957D	113,354,330	—	—	—	—	—	2.70	2.90	8.00	—
1958	32,785,652	—	—	—	—	—	2.70	2.90	8.50	6.00
1958D	136,564,600	—	—	—	—	—	2.70	2.90	9.00	—
1959	86,929,291	—	—	—	—	—	2.70	2.90	8.00	4.50
1959D	164,919,790	—	—	—	—	—	2.70	2.90	8.00	—
1960	72,081,602	—	—	—	—	—	2.70	2.90	7.50	4.50
1960D	200,160,400	—	—	—	—	—	2.70	2.90	7.50	—
1961	96,758,244	—	—	—	—	—	2.70	2.90	6.50	4.00
1961D	209,146,550	—	—	—	—	—	2.70	2.90	6.50	—
1962	75,668,019	—	—	—	—	—	2.70	2.90	7.00	4.00
1962D	334,948,380	—	—	—	—	—	2.70	2.90	7.00	—
1963	126,725,645	—	—	—	—	—	2.70	2.90	6.50	3.75
1963D	421,476,530	—	—	—	—	—	2.70	2.90	6.50	—
1964	933,310,762	—	—	—	—	—	2.70	2.90	6.00	3.75
1964D	1,357,517,180	—	—	—	—	—	2.70	2.90	6.00	—

Roosevelt Dime.

KM# 195a Designer: John R. Sinnock. **Diameter:** 17.9 **Weight:** 2.2700 g. **Composition:** Copper-Nickel Clad Copper **Notes:** The 1979-S and 1981-S Type II proofs have clearer mint marks than the Type I proofs of those years. On the 1982 no-mint-mark variety, the mint mark was inadvertently left off.



Mint mark 1968- present

1982 No mint mark

Date	Mintage	MS-65	Prf-65	Date	Mintage	MS-65	Prf-65
1965	1,652,140,570	1.00	—	1967	2,244,007,320	1.50	—
1966	1,382,734,540	1.00	—	1968	424,470,000	1.00	—

Date	Mintage	MS-65	Prf-65
1968D	480,748,280	1.00	—
1968S	(3,041,506)	—	1.00
1969	145,790,000	3.00	—
1969D	563,323,870	1.00	—
1969S	(2,934,631)	—	0.80
1970S No S	—	—	1,300
1970	345,570,000	1.00	—
1970D	754,942,100	1.00	—
1970S	(2,632,810)	—	1.00
1971	162,690,000	2.00	—
1971D	377,914,240	1.00	—
1971S	(3,220,733)	—	1.00
1972	431,540,000	1.00	—
1972D	330,290,000	1.00	—
1972S	(3,260,996)	—	1.00
1973	315,670,000	1.00	—
1973D	455,032,426	1.00	—
1973S	(2,760,339)	—	1.00
1974	470,248,000	1.00	—
1974D	571,083,000	1.00	—
1974S	(2,612,568)	—	1.00
1975	585,673,900	1.00	—
1975D	313,705,300	1.00	—
1975S	(2,845,450)	—	2.00
1976	568,760,000	1.50	—
1976D	695,222,774	1.00	—
1976S	(4,149,730)	—	1.00
1977	796,930,000	1.00	—
1977D	376,607,228	1.00	—
1977S	(3,251,152)	—	2.00
1978	663,980,000	1.00	—
1978D	282,847,540	1.00	—
1978S	(3,127,781)	—	1.00
1979	315,440,000	1.00	—
1979D	390,921,184	1.00	—
1979 type I	—	—	1.00
1979S type I	(3,677,175)	—	1.00
1979S type II	Inc. above	—	2.00
1980P	735,170,000	1.00	—
1980D	719,354,321	.70	—
1980S	(3,554,806)	—	1.00
1981P	676,650,000	1.00	—
1981D	712,284,143	1.00	—
1981S type I	—	—	1.00
1981S type II	—	—	2.00
1982P	519,475,000	8.50	—
1982 no mint mark	Inc. above	300	—
1982D	542,713,584	3.00	—
1982S	(3,857,479)	—	2.00
1983P	647,025,000	7.00	—
1983D	730,129,224	2.50	—
1983S	(3,279,126)	—	2.00
1984P	856,669,000	1.00	—
1984D	704,803,976	2.00	—
1984S	(3,065,110)	—	2.00
1985P	705,200,962	1.00	—
1985D	587,979,970	1.00	—
1985S	(3,362,821)	—	1.00
1986P	682,649,693	2.00	—
1986D	473,326,970	2.00	—
1986S	(3,010,497)	—	2.75
1987P	762,709,481	1.00	—
1987D	653,203,402	1.00	—
1987S	(4,227,728)	—	1.00
1988P	1,030,550,000	1.00	—
1988D	962,385,488	1.00	—
1988S	(3,262,948)	—	3.00
1989P	1,298,400,000	1.00	—
1989D	896,535,597	1.00	—
1989S	(3,220,194)	—	4.00
1990P	1,034,340,000	1.00	—
1990D	839,995,824	1.00	—
1990S	(3,299,559)	—	2.00
1991P	927,220,000	1.00	—
1991D	601,241,114	1.00	—
1991S	(2,867,787)	—	3.00
1992P	593,500,000	1.00	—
1992D	616,273,932	1.00	—
1992S	(2,858,981)	—	4.00

Date	Mintage	MS-65	Prf-65
1993P	766,180,000	1.00	—
1993D	750,110,166	1.50	—
1993S	(2,633,439)	—	7.00
1994P	1,189,000,000	1.00	—
1994D	1,303,268,110	1.00	—
1994S	(2,484,594)	—	5.00
1995P	1,125,500,000	1.50	—
1995D	1,274,890,000	2.00	—
1995S	(2,010,384)	—	20.00
1996P	1,421,163,000	1.00	—
1996D	1,400,300,000	1.00	—
1996W	1,457,949	25.00	—
1996S	(2,085,191)	—	2.50
1997P	991,640,000	2.00	—
1997D	979,810,000	1.00	—
1997S	(1,975,000)	—	11.00
1998P	1,163,000,000	1.00	—
1998D	1,172,250,000	1.25	—
1998S	(2,078,494)	—	4.00
1999P	2,164,000,000	1.00	—
1999D	1,397,750,000	1.00	—
1999S	(2,557,897)	—	4.00
2000P	1,842,500,000	1.00	—
2000D	1,818,700,000	1.00	—
2000S	(3,097,440)	—	1.00
2001P	1,369,590,000	1.00	—
2001D	1,412,800,000	1.00	—
2001S	(2,249,496)	—	1.00
2002P	1,187,500,000	1.00	—
2002D	1,379,500,000	1.00	—
2002S	(2,268,913)	—	2.00
2003P	1,085,500,000	1.00	—
2003D	986,500,000	1.00	—
2003S	(2,076,165)	—	2.00
2004P	1,328,000,000	1.00	—
2004D	1,159,500,000	1.00	—
2004S	(1,804,396)	—	4.75
2005P	1,412,000,000	1.00	—
2005D	1,423,500,000	1.00	—
2005S	—	—	2.25
2006P	1,381,000,000	1.00	—
2006D	1,447,000,000	1.00	—
2006S	—	—	2.25
2007P	—	—	1.00
2007D	—	—	1.00
2007S	—	—	2.25
2008P	—	—	1.00
2008D	—	—	1.00
2008S	—	—	2.25
2009P	—	—	1.00
2009D	—	—	1.00
2009S	—	—	2.25
2010P	—	—	1.00
2010D	—	—	1.00
2010S	—	—	2.25
2011P	—	—	1.00
2011D	—	—	1.00
2011S	—	—	2.25

Roosevelt Dime.

KM# 195b Designer: John R. Sinnock. **Diameter:** 17.9 **Weight:** 2.5000 g. **Composition:** 0.9000 Silver, 0.0723 oz. ASW.

Date	Mintage	Prf-65
1992S	(1,317,579)	5.00
1993S	(761,353)	9.00
1994S	(785,329)	9.00
1995S	(838,953)	25.00
1996S	(830,021)	9.00
1997S	(821,678)	25.00
1998S	(878,792)	9.00
1999S	(804,565)	6.50
2000S	(965,921)	4.00
2001S	(849,600)	5.00
2002S	(888,826)	5.00
2003S	(1,090,425)	4.00
2004S	—	4.50

Date	Mintage	Prf-65	Date	Mintage	Prf-65
2005S	—	3.50	2009S	—	3.50
2006S	—	3.50	2010S	—	3.50
2007S	—	3.50	2011S	—	3.50
2008S	—	3.50			

20 CENTS

Seated Liberty within circle of stars, date below. Eagle with arrows in talons, value below.

KM# 109 Designer: William Barber. **Diameter:** 22
Weight: 5.0000 g. **Composition:** 0.9000 Silver, 0.1447 oz. ASW.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65	Prf-65
1875	39,700	165	210	270	325	415	550	835	5,500	9,500
1875S	1,155,000	100.00	110	120	175	210	320	500	4,900	—
Note: 1875-S exists as a branch mint proof										
1875S Clear S	Inc. above	110	120	135	200	235	350	600	5,500	—
1875S over horizontal S	Inc. above	100.00	110	120	175	210	320	500	4,900	—
Note: Also known as filled S										
1875S as \$	Inc. above	—	120	130	150	225	260	375	1,300	—
1875CC	133,290	335	385	475	600	775	1,150	1,650	10,000	—
1876	15,900	185	225	285	350	410	535	800	5,600	9,400
1876CC	10,000	20,000	25,000	30,000	35,000	50,000	60,000	—	—	175,000
Note: 1876CC, Eliasberg Sale, April 1997, MS-65, \$148,500. Heritage 1999 ANA, MS-63, \$86,500.										
1877 proof only	510	—	—	2,700	2,900	3,300	3,500	—	—	10,000
1878 proof only	600	—	—	2,000	2,300	2,400	2,800	—	—	9,500

QUARTER

Draped Bust Quarter.

Draped bust right. Small eagle.

KM# 25 Designer: Robert Scot. **Diameter:** 27.5
Weight: 6.7400 g. **Composition:** 0.8920 Silver, 0.1933 oz. ASW.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1796	6,146	11,000	16,500	30,000	39,500	42,500	68,000	82,500	235,000

Draped Bust Quarter.

Draped bust right, flanked by stars, date at angle below. Heraldic eagle.

KM# 36 Designer: Robert Scot. **Diameter:** 27.5
Weight: 6.7400 g. **Composition:** 0.8920 Silver, 0.1933 oz. ASW.



Date	Mintage	G-4	VG-8	F-12	VF-20	XF-40	AU-50	MS-60	MS-65
1804	6,738	5,500	6,750	9,000	14,500	46,500	54,500	88,500	335,000
1805	121,394	230	285	520	960	2,500	4,450	6,600	62,000
1806/5	206,124	250	375	650	1,400	2,850	5,000	7,150	72,000
1806	Inc. above	220	275	500	900	2,350	4,250	6,300	56,000
1807	220,643	220	275	500	925	2,350	4,250	6,300	58,000